Ideal Work&WashStation[™] 5D T **SPECIFICATIONS**

IWW-5-D-BA



Golden Bamboo / Exclusive Gray Resin

IWW-5-D-WH



IWW-5-D-GT



Graphite Resin

IWW-5-D-GR



Exclusive Grav Resin

Specifications

Double bowl Users: 1-2 Culinary/Wash Tools included: Nine Galley Taps recommended: Two Outside dimensions: 57 1/2" x 19 1/2" x 10 5/16" Countertop cutout: 56 1/2" x 18" Basin area: 33 7/8", 21 7/8" x 16" Minimum cabinet size: 60" or 150cm

Basin (KSO-5-D-SS)

16GA 316L stainless steel indoor/outdoor SilentArmor[™] sound reduction technology Angel finish Two tier design Star™ groove pattern Reversible side drain Drain covers included Limited Lifetime Warranty Made in the USA ASME A112.19.3/CSA B45.4 certified cUPC™ certified

[†] The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 2cm or less, Bamboo Upper Deck sections will not have the needed clearance to function above the Upper Tier Culinary Tools. Please refer to Culinary Kit Finish descriptions for planning. Custom options are available for countertops that are 1/2" or less in thickness.



(1) Upper Deck

(1) Upper Tier (1) Lower Tier Wash Caddy Drying Rack 9 1/4" x 18" 6" x 17 DR-09-U-xx WC-06-L-xx



(1) Lower Tier Wash Bowl 12" x 17 WB-12-L-xx UC-06-U-xx

(1) Upper Tier Utensil Caddy 6" x 18'

(2) Lower Tier

Personalize Your IWW-5-D

Add 7-12" length Apron front Add 1-6" length 9" heiaht Add 18" DryDock Center drain Add 12" DryDock

Galley Tap collection **Optional Culinary Tools** *Color coded labels available

Upper Deck.

Upper Deck cover set UD-5-3P-GT/BA/GR/WH Graphite, Bamboo, Gray or White Resin



Upper Deck sections Graphite, Bamboo, Gray or White Resin





\bigcirc



20'

Manual Strainer Basket M-DRN-MSS Angel Finish 304 Stainless Steel

31 1/2"

Bottom Grate set BG-5-D-2-SS Stainless Steel



Recommended Basin Accessories

Disposal Flange Strainer Basket G-DRN-MSS Angel Finish 304 Stainless Steel

Auto Strainer Basket Angel Finish 304 Stainless Steel with Polished or Matte knob



A-DRN-PSS A-DRN-MSS

Section¹ 12" x 19 Drying Rack 12 1/4" x 18" UD-12-I-xx DB-12-U-xx CB-12-U-xx

(1) Upper Tier

Culinary Tools included (CKT-12)

Cutting Board 12 1/4" x 18" Platforms 12 1/4" x 17" P1-12-L-xx

(1) Stainless Steel Colander 11" 7.2-qt C1-11-0-ST


(1) Stainless Steel Mixing Bowl 11" 7.2-qt B1-11-0-ST


(1) Upper Tier

Ideal Work&WashStation[™] 5D THEGAL SPECIFICATIONS | Right Hand Drain Orientation

10" (254

Tap Hole Specifications





SUGGESTED GALLEY TAP PLACEMENT GUIDE

Suggested maximum inside corner radius of counterlop cutout 3/8" (1) Galley Tap 1 3/8" min to 1 1/2" max hole diameter Center Tap hole diameters 2" behind cutout Note: Galley Hot & Cold Tap requires a minimum 8" clearance to center if installed to the right of the Galley Tap


Note: Tap Placements are for right hand or left hand drain orientation

Call 800.375.4255 or email customerservice@thegalley.com for additional guidance on Tap and Tap Accessory placements



/4" (6 mm) DIVIDER

CABINETS ARE TYPICALLY CUSTOM MADE FOR GALLEY DIMENSIONS. FOR EXISTING CABINETS, TRIM INTERIOR BULKHEADS APPROX. 11° (280 mm) TO CLEAR SINK DEPTH.



STAINLESS STEEL COMPLIANCE ASME A112. 19.3-2008/CSA B45.4-08

60" (1520 mm)


WE RESERVE THE RIGHT TO MAKE REVISIONS WITHOUT NOTICE IN THE DESIGN OF PRODUCTS OR IN PACKAGING UNLESS THIS RIGHT HAS SPECIFICALLY BEEN WAIVED AT THE TIME THE ORDER IS ACCEPTED.

DWG and DXF templates available on our website: TheGalley.com/specification-library

Questions? For additional assistance, please contact The Galley's Customer Service Department at 800.375.4255

Ideal Work&WashStation[™] 5D THEGAL SPECIFICATIONS | Left Hand Drain Orientation

Tap Hole Specifications






Suggested maximum inside corner radius of countertop cutout 3/8" (1) Galley Tap 1 3/8" min to 1 1/2" max hole diameter Center Tap hole diameters 2" behind cutout Note: Galley Hot & Cold Tap requires a minimum 8" clearance to center if installed to the right of the Galley Tap


Note: Tap Placements are for right hand or left hand drain orientation

Call 800.375.4255 or email customerservice@thegalley.com for additional guidance on Tap and Tap Accessory placements



THE GALLEY TAP FAUCET 1 1/2" (38 mm) 4 1/2" C.O. 18" (457 mm) þ 2" 11" (279 mm) I.D. 16" (406 mm ĥ 1/2" (876 r 34 24" (610 mm) (CABINET DEPTH)

Countertop Cutout Plan



STAINLESS STEEL COMPLIANCE ASME A112. 19.3-2008/CSA B45.4-08

WE RESERVE THE RIGHT TO MAKE REVISIONS WITHOUT NOTICE IN THE DESIGN OF PRODUCTS OR IN PACKAGING UNLESS THIS RIGHT HAS SPECIFICALLY BEEN WAIVED AT THE TIME THE ORDER IS ACCEPTED.

DWG and DXF templates available on our website: TheGalley.com/specification-library

Questions? For additional assistance, please contact The Galley's Customer Service Department at 800.375.4255